


MAGNETIC
DECORATIVE LIGHTING
SYSTEMS






DION | 9028803
Magnetic Circular Structure
Satin Gold Aluminium IP20
Included Driver 350 Watt
AC220-240V Output 24V DC
D1: 100 D2: 80 D3: 60 H: 200 cm
LED A++-A DRIVER INCL.




DION | 9028800
Magnetic Circular Structure
Satin Gold Aluminium IP20
Included Driver 200 Watt
AC220-240V Output 24V DC
D1: 80 D2: 60 H: 150 cm
LED A++-A DRIVER INCL.

EASY
INSTALLATION
UP
DOWN




DION | 9028600
Magnetic Circular Structure
Satin Gold Aluminium IP20
Included Driver 60 Watt
AC220-240V Output 24V DC
D: 60 H: 120 cm
LED A++-A DRIVER INCL.







DION | 9028923
Magnetic Circular Structure
Sandy Black Aluminium IP20
Included Driver 350 Watt
AC220-240V Output 24V DC
D1: 100 D2: 80 D3: 60 H: 200 cm




DION | 9028922
Magnetic Circular Structure
Sandy Black Aluminium IP20
Included Driver 200 Watt
AC220-240V Output 24V DC
D1: 80 D2: 60 H: 150 cm




DION | 9028921
Magnetic Circular Structure
Sandy Black Aluminium IP20
Included Driver 60 Watt
AC220-240V Output 24V DC
D: 60 H: 120 cm






FEDON | 9028820



Magnetic Linear Structure
Satin Gold Aluminium IP20
Included Driver 100 Watt
AC220-240V Output 24V DC
L: 80 H: 110 cm



FEDON | 9028981




Magnetic Linear Structure
Sandy Black Aluminium IP20
Included Driver 100 Watt
AC220-240V Output 24V DC
L: 80 H: 110 cm






GRAMMI 03 | 9028348



Magnetic Tubular Structure
Satin Gold Aluminium IP20
Included Driver 60 Watt
AC220-240V Output 24V DC
L: 150 H: 35 cm



GRAMMI 04 | 9028750



Magnetic Tubular Structure
Satin Gold Aluminium IP20
Included Driver 60 Watt
AC220-240V Output 24V DC
L: 150 H: 75 cm







IF 110cm
IS NOT
COMPATIBLE
FOR YOU
WE HAVE ALSO
35cm & 70cm
TUBE

GRAMMI 01 | 9180563

Magnetic Tubular Structure
Sandy Black Aluminium IP20
Included Driver 60 Watt AC85-265V
L: 150 H: 110 cm



ZED | 9980751

Sandy Black Aluminium
Tube
D: 2 H: 70 cm






ZED | 9980752

Sandy Black Aluminium
Tube
D: 2 H: 35 cm

GRAMMI 02 | 9180564

Magnetic Tubular Structure
Sandy Black Aluminium IP20
Included Driver 100 Watt AC85-265V
L: 200 H: 110 cm





CRON | 9028310

Magnetic Tubular Structure
Satin Gold Aluminium IP20
Included Driver 100 Watt
AC220-240V Output 24V DC
L: 300 H: 35 cm




CRON | 9028311


Magnetic Tubular Structure
Sandy Black Aluminium IP20
Included Driver 100 Watt
AC220-240V Output 24V DC
L: 300 H: 35 cm








CRIMSON | 9190800
Magnetic Tubular Structure
Sandy Black Aluminium IP20
Included Driver 100 Watt AC85-265V
Output 24V DC
L: 200 W: 80 H: 35 cm



CRIMSON | 9190350
Magnetic Tubular Structure
Sandy Black Aluminium
L: 200 H: 35 cm




JUST COMBINE THE 9190800 AND 9190350 TO CREATE A DOUBLE MAGNETIC LAYER




For accessories go on page 032







PUZZLE | 9180566
Magnetic Cube Structure
Sandy Black Aluminium IP20
Included Driver 100 Watt AC85-265V
Output 24V DC
L: 150 W: 150 H: 10 cm



PUZZLE | 9180565
Magnetic Cube Structure
Sandy Black Aluminium IP20
Included Driver 60 Watt AC85-265V
Output 24V DC
L: 80 W: 80 H: 10 cm




ZED | 9180567
Sandy Black Aluminium
Tube
D: 2 H: 70 cm



ZED | 9180568
Sandy Black Aluminium
Tube
D: 2 H: 30 cm




ZED | 9980570
Sandy Black Aluminium
Tube
D: 2 H: 10 cm




PLUS | 9180569
Connector Tube
Sandy Black Aluminium
D: 2 H: 30 cm

HOW IT WORKS




step 1

CHOOSE YOUR MAGNETIC ACCESSORIES



step 2

IF YOU WANT TO COMBINE MORE THAN ONE 'PUZZLES' USE 'PLUS 9180569'




step 3

TO ADJUST THE HEIGHT
CHOOSE 'ZED' 9180567 OR 9180568 OR 9980570



MAGNETIC DECORATIVE
ACCESSORIES






ONE SOURCE
OF LIGHT
MANY
DIFFERENT
ACCESSORIES

CRI
90

Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9028801	Satin Gold Aluminium	5W	DC24V	Philips	D: 3 H: 9.2	600Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9028924	Sandy Black Aluminium	5W	DC24V	Philips	D: 3 H: 9.2	600Lm	>90	<18	120°	3000K	IP20	X	X	X	III





SPOK | 9028801
5W · 3000K





SPOK | 9028924
5W · 3000K





JUST KEEP THE 9028801 OR 9028924 AND PICK THE GLASS YOU NEED



SURF | 9028804



FLER | 9028805



ALMON | 9028806



LAN | 9028807



NUDA | 9028808





CRI
90





Photo	Code	Material	Watt	VoIt	LED Chip	Dimension _(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9090290	Satin Gold Alum. & Glass	5W	DC24V	Philips	D: 12 H: 14	220Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090291	Sandy Black Alum. & Glass	5W	DC24V	Philips	D: 12 H: 14	220Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090289	Sandy Black Alum. & Glass	8W	DC24V	Philips	D: 5 H: 27	400Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090288	Satin Gold Alum. & Glass	8W	DC24V	Philips	D: 5 H: 27	400Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090284	Satin Gold Alum. & Glass	5W	DC24V	Osram	D: 10 H: 14	380Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090283	Sandy Black Alum. & Glass	5W	DC24V	Osram	D: 10 H: 14	380Lm	>90	<18	120°	3000K	IP20	X	X	X	III

Завантажено з e27.com.ua







CRI
90



VERSUS | **9090293**
10W · 3000K



VERSUS | **9090292**
10W · 3000K



CONO | **9090285**
5W · 3000K




CONO | **9090286**
5W · 3000K



BAR | **9180561**
5W · 3000K





BAR | **9090281**
5W · 3000K



Rotating
& Adjustable

TAG | **9180562**
5W · 3000K



Rotating
& Adjustable

TAG | **9090282**
5W · 3000K




Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9090293	Sandy Black Aluminium	10W	DC24V	Osram	L:25 W:2.6 H:4.4	430Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090292	Satin Gold Aluminium	10W	DC24V	Osram	L:25 W:2.6 H:4.4	430Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090285	Sandy Black Aluminium	5W	DC24V	Osram	D:6 H:10.6	300Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090286	Satin Gold Aluminium	5W	DC24V	Osram	D:6 H:10.6	300Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9180561	Sandy Black Aluminium	5W	DC24V	Philips	D:3 H:14.9	300Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090281	Satin Gold Aluminium	5W	DC24V	Philips	D:3 H:14.9	300Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9180562	Sandy Black Aluminium	5W	DC24V	Cree	D:3.2 H:13.5	330Lm	>90	<14	35°	3000K	IP20	✓	X	X	III
	9090282	Satin Gold Aluminium	5W	DC24V	Cree	D:3.2 H:13.5	330Lm	>90	<14	35°	3000K	IP20	✓	X	X	III





CRI 90



POINT | **9028818**
15W · 3000K




ART | **9028817**
15W · 3000K




ART | **9028925**
15W · 3000K



NOX | **9190615**
15W · 3000K



ZEON | **9190619**
20W · 3000K






ZEON | **9028838**
38W · 3000K



Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9028818	Sandy Black Aluminium	15W	DC24V	Osram	D: 16 H: 27.3	1100Lm	>90	<18	120°	3000K	IP20	✓	X	X	III
	9028817	Satin Gold Aluminium	15W	DC24V	Osram	D: 16 H: 5	1100Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9028925	Sandy Black Aluminium	15W	DC24V	Osram	D: 16 H: 5	1100Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9190615	Sandy Black Aluminium	15W	DC24V	Osram	L: 45.4 H: 7.4	1100Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9190619	Sandy Black Aluminium	20W	DC24V	Osram	L: 75.5 H1: 4 H2: 10	1400Lm	>90	<18	120°	3000K	IP20	✓	X	X	III
	9028838	Sandy Black Aluminium	38W	DC24V	Osram	L: 150 H1: 4 H2: 10	2660Lm	>90	<18	120°	3000K	IP20	✓	X	X	III



WALL MAGNETIC DECORATIVE
& ACCESSORIES



CREATE
YOUR
WALL
DESIGN



MAGNA | 9180660

Magnetic Wall Structure
Sandy Black Aluminium IP20
Included Driver 60 Watt
AC85-265V Output 24V DC
L: 150 W: 1.5 H: 12 cm




MAGNA | 9180120

Magnetic Wall Structure
Sandy Black Aluminium IP20
Included Driver 120 Watt
AC85-265V Output 24V DC
L: 150 W: 1.5 H: 12 cm




MAGNA | 9180121

Magnetic Wall Structure
Sandy Black Aluminium
L: 150 W: 1.5 H: 12 cm




MAGNA | 9180122

Magnetic Wall Structure
Sandy Black Aluminium
L: 150 W: 1.5 H: 9 H2: 12 cm



MAGNA | 9180123

Magnetic Wall Structure
Sandy Black Aluminium
L: 150 W: 1.5 H: 12 cm



HOW IT
WORKS

YOU CAN MAKE YOUR OWN SHAPE

- Choose the stick with the driver you need
- Connect magnetically the sticks you need
- Add your favorite accessories the driver supports

FOR ONE LINE ORDER:
9180660 or 9180120

FOR TWO LINES ORDER:
9180660 + 9180122

FOR THREE LINES ORDER:
9180660 + 9180121
9180123

FOR FOUR LINES ORDER:
9180120 + 9180121
9180123 + 9180121

FOR FIVE LINES ORDER:
9180120 + 9180121
9180121 + 9180121
9180123

FOR SIX LINES ORDER:
9180120 + 9180121
9180123 + 9180121
9180123 + 9180122





CHOOSE
YOUR
ACCESSORY

CRI
90



LIBO | **9180006**
6W · 3000K



LIBO | **9180015**
15W · 3000K



Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9180006	Sandy Black Aluminium	6W	DC24V	Osram	D: 16 H: 6	300Lm	>90	<14	120°	3000K	IP20	X	X	X	III
	9180015	Sandy Black Aluminium	15W	DC24V	Osram	D: 16 H: 6	900Lm	>90	<18	120°	3000K	IP20	X	X	X	III



CREATE
YOUR
WALL
DESIGN

- Choose the stick MAGNA with the driver you need



MAGNA | 9180660

Magnetic Wall Structure
Sandy Black Aluminium IP20
Included Driver 60 Watt
AC85-265V Output 24V DC
L: 150 W: 1.5 H: 12 cm



MAGNA | 9180120

Magnetic Wall Structure
Sandy Black Aluminium IP20
Included Driver 120 Watt
AC85-265V Output 24V DC
L: 150 W: 1.5 H: 12 cm



- Add the RUB accessory




RUB | 9180661

Magnetic Wall Accessory
Sandy Black Aluminium
38 Watt 24V DC IP20
2660Lm 3000K CRI>90
UGR<18 Beam Angle 120°
L: 150 H: 10 cm



ROTATING & MOVABLE



ROTATING & MOVABLE

