

## **Product Datasheet**

www.1-light.eu

04 Recessed Spots Adjustable LED>The Interchangable Rings Range

### 11104K/B/W

### Aluminium



4W COB LED adjustable recessed spot with interchargeable rings.

Ring must be ordered separately.

Requires 350/500mA driver.

Complies with standard EN60598-1 and any other specific standards.

















### Downloads










### Dimensions



### Must be ordered separately



050100/B



89004






89004T



050100/C



050100/CU



050100/W

Item Group	04 Recessed Spots Adjustable LED
Family	The Interchangable Rings Range Aluminium
Order Code	11104K/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	62mm
Diameter	68mm
Cutout Hole Diameter	60mm
Recessed Ceiling	Yes
Depth Required	80mm
Indoor	Yes
Adjustable	1 Direction

### **Electrical Characteristics**

Fitting	
Input Type	Constant Current
Input Current	350mA/500mA
Safety Class	
Power(Watts)	3/5W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Cree
LED Number	1
Cable Length	40cm
F Mark	F

Yes

# Packing Info Box Length 8,5cm Box Width 8cm Box Height 8cm Box Weight 0,165Kg Pcs/Carton 50 Barcode 5291889054108

## HS Code 9405409900 Certification & Warranty Warranty 3 Years Weee Directive Yes



Illumination Data

Dark Light

