



Product Datasheet

06 Downlights Fixed LED>The SMD Dark Light Range

10109D/W/C



9W Dark Light LED Downlight .

Supplied with 300mA non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group	06 Downlights Fixed LED
Family	The SMD Dark Light Range
Order Code	10109D/W/C
Colour	White
Material	Die Cast
Shape	Circular
Height	50mm



Завантажено з e27.com.ua

Diameter	120mm
Cutout Hole Diameter	110mm
Recessed Ceiling	Yes
Depth Required	70mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	9W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	300mA
Voltage	28V
Safety Class	
Power(Watts)	8,1W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835

LED Brand	Sanan	Завантажено з e27.com.ua
Gear		
Gear Type	Led Driver	
Input Voltage	220-240V	
50 Hz	Yes	
60 Hz	Yes	
Power(Watts)	7,5-12,6W	
Power Factor	0,9	
Constant Current	Yes	
300mA	25-42V	
IP Rating	IP20	
Safety Class		
Dimmable	No	
Ambient Temp	-30? ~ +50?	
Housing Material	Plastic	
Brand	Lifud	

Illumination Data		
Colour Temperature	4000K	
Lumen Output	765lm	
Light Efficiency	85lm/W	
CRI	80	
Beam Angle	100°	
Illumination Diagram		
Dark Light	Yes	

Packing Info		
Box Length	15cm	
Box Width	7cm	

Завантажено з e27.com.ua

Box Height	13cm
Pcs/Carton	50
Barcode	5291889060673
HS Code	9405409900

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!

