



Product Datasheet

09 Track Lights>The COB Cylinder Range

65632CT/B/W



50W track spot with COB LED, ideal for shops and showrooms.

Supplied with electronic high frequency control driver as standard.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



40002A/B



40003A/B

Physical Specification

Item Group
Family
Order Code
Colour
Material
Shape
Height

09 Track Lights
The COB Cylinder Range
65632CT/B/W
Black
Die Cast
Circular
160mm



Завантажено з e27.com.ua

Diameter	130mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Gear	Built In
------	----------

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

Fitting

Input Type	Constant Current
Input Current	1250mA
Voltage	37V
Safety Class	
Power(Watts)	46,25W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Cree

Gear

Gear Type	Led Driver
-----------	------------

Input Voltage	220-240V	Завантажено з e27.com.ua
50 Hz	Yes	
60 Hz	Yes	
Power(Watts)	24-52,5W	
Power Factor	0,9	
Constant Current	Yes	
1250mA	37-42V	
IP Rating	IP20	
Safety Class		
Dimmable	No	
Ambient Temp	-20~50°C	
Operating Temp	90°C	
Housing Material	Plastic	
Output Terminal	Connector	
Brand	Tridonic	
Protection	Short Circuit Protection	

Illumination Data

Colour Temperature	3000K
Lumen Output	3750lm
Light Efficiency	75lm/W
CRI	80
Beam Angle	36°
Illumination Diagram	

Packing Info

Box Length	32,5cm
Box Width	16cm
Box Height	15,5cm
Box Weight	1,9kg

Pcs/Carton	6	Завантажено з e27.com.ua
Barcode	5291889047773	
HS Code	9405409900	

Certification & Warranty

Warranty	3 Years
Average Lifetime	30000hours
Weee Directive	Yes

switch to
one light!

one
LIGHT

