

Alien

Series of indoor light fixtures equipped with SMD LEDs, structure of aluminum and metal painted in sand white or with bronze finishing, diffuser of opal white silicone.




01-1801




Alien



01-1812




Alien



01-1799



01-1802



01-1801

Alien

Series of indoor light fixtures equipped with SMD LEDs, structure of aluminum and metal painted in sand white or with bronze finishing, diffuser of opal white silicone.

Serie de corpuri de iluminat pentru interior echipate cu LED-uri SMD, structură din aluminiu și metal vopsit alb mat sau finisat bronz, dispersor din silicon alb opal.

Serie di apparecchi per interni, equipaggiati con SMD LED, struttura in alluminio e metallo verniciato bianco opaco o con finitura bronzo, diffusore in silicone opalino bianco.

Серия светильников для интерьера оснащенных светодиодами SMD, структура из алюминия и металла окрашенного в белый матовый цвет или отделанная под бронзу, рассеиватель из белого опалового силикона.

Beltéri lámpa testek, SMD LED-el szerelve, matt fehér vagy bronz színű alumínium szerkezet, szilikon fehér opál disperzór.

Серия интерьерни осветители с SMD LED платка, корпус от алуминий и стомана в бял мат или бронз, дифузер от бял силикон.

Séria svietidiel pre interiér, vybavených LED diódami SMD, štruktúra hliníka a kovu lakovaná v matnej bielej alebo bronzovej povrchovej úprave, difuzor z opálového bieleho silikónu.




- 
- art. 01-1799 Sand White 3000K

art. 01-1800 Bronze 3000K

art. 01-1861 Sand White 4000K

art. 01-1862 Bronze 4000K



Led type	SMD LED 2835 432 pcs x 0,10W	
Power	40W	
Input	220V-240V, 50/60Hz	
Color temperature	3000K	4000K
Lumen source	5230 lm	6151 lm
Lumen system	3645 lm	3827 lm
CRI	80	
Dimmable (3 step)		


CE IP20

- 
- art. 01-1801 Sand White 3000K

art. 01-1802 Bronze 3000K

art. 01-1863 Sand White 4000K

art. 01-1864 Bronze 4000K



Led type	SMD LED 2835 612 pcs x 0,095W	
Power	62W	
Input	220V-240V, 50/60Hz	
Color temperature	3000K	4000K
Lumen source	7538 lm	7978 lm
Lumen system	4860 lm	5127 lm
CRI	80	
Dimmable (3 step)		


CE IP20

- 
- art. 01-1803 Sand White 3000K

art. 01-1804 Bronze 3000K

art. 01-1865 Sand White 4000K

art. 01-1866 Bronze 4000K



Led type	SMD LED 2835 432 pcs x 0,10W	
Power	40W	
Input	220V-240V, 50/60Hz	
Color temperature	3000K	4000K
Lumen source	5230 lm	6151 lm
Lumen system	3645 lm	3827 lm
CRI	80	
Dimmable (3 step)		


CE IP20

- 
- art. 01-1805 Sand White 3000K

art. 01-1806 Bronze 3000K

art. 01-1867 Sand White 4000K

art. 01-1868 Bronze 4000K



Led type	SMD LED 2835 612 pcs x 0,095W	
Power	62W	
Input	220V-240V, 50/60Hz	
Color temperature	3000K	4000K
Lumen source	7538 lm	7978 lm
Lumen system	4860 lm	5127 lm
CRI	80	
Dimmable (3 step)		


CE IP20

- 
- art. 01-1811 Sand White 3000K

art. 01-1812 Bronze 3000K

art. 01-1869 Sand White 4000K

art. 01-1870 Bronze 4000K



Led type	SMD LED 2835 792 pcs x 0,088W	
Power	75W	
Input	220V-240V, 50/60Hz	
Color temperature	3000K	4000K
Lumen source	9733 lm	10439 lm
Lumen system	5740 lm	6050 lm
CRI	80	
Dimmable (3 step)		

CE IP20